

# NPTD New Pivoting Tray Drawer



FOCUS-New Pivoting Tray Drawer is suitable for splicing and patching fibre optic cables.

Rack (or case) structure of these drawers are 19" size in metallic material with removable front cover. Pivoting trays are mounted inside, right or left opening according to request.

Upon customer's needs Optotec supplies FOCUS NPTD trays preloaded with splice array modules, adapters and the most used present on the market (SC, LC, etc.). Furthermore, the internal layout of the trays can be easily integrated with Splitters, WDM and any other passive device.

FOCUS NPTD trays can be configured both patch&splice mixed mode and patch only.

FOCUS NPTD subracks are light gray RAL 7035 powder coated painted.



FOCUS NPTD subracks can be mounted on ETSI frames by using apposite brackets. Please, contact our offices for more info.

## APPLICATION

Inside and Outside plants installations - Central Offices, telecommunication equipment rooms

High density splices and multi-cables interconnections

## TECHNICAL FEATURES

Removable front cover and pivoting trays for easy installation and maintenance

Minimum bending radius guaranteed




All Size (1U, 2U, 3U) of FOCUS NPTD subracks includes up to 3 trays as represented in the pictures here beside.

## FOCUS NPTD MIR or MIL

R RIGTH OPENING OR L LEFT OPENING


THIS TYPE OF SUBRACK TRAY IS USED TO PATCH & SPLICE



## FOCUS NPTD PIR or PIL

R RIGTH OPENING OR L LEFT OPENING

THIS TYPE OF SUBRACK TRAY IS USED ONLY TO PATCH



- 1 Bending control for out patched cords
- 2 Pivoting and openable fixing system for easy assembly
- 3 Patch cord sustaining hooks
- 4 FOCUS RHD splice array module tray
- 5 Bending Control system with cable limiter drums



[www.optotec.com](http://www.optotec.com)

All the information included in this document, including drawings, illustration and patterns have to be considered reliable; they are registered and owned by Optotec S.p.A, therefore it is strictly forbidden to use them without our previous authorization. However, Optotec makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. Optotec' obligations shall only be as set forth in Optotec' Standard Terms and Conditions of Sale for this product and in no case will Optotec be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of Optotec products should make their own evaluation to determine the suitability of each such product for the specific application.

Optotec S.p.A. Via Zenale, 44 20024 Garbagnate Milanese (MI) - Italy P.IVA 10730100152 | Telephone: +39 02 99515.1 | FAX: +39 02 99515.222 | [info@optotec.it](mailto:info@optotec.it)

# NPTD New Pivoting Tray Drawer

## FOCUS NPTD M PATCH&SPLICE - ORDERING INFORMATION





OPTOTEC PN. EXAMPLE:

FOCUS NPTD	M	I	R	3	RHD	12	12	H	XX	XXX	XXX
SERIE NAME	CONFIGURATION TYPE	STANDARD TYPE	OPENING SIDE TRAY	No. UNITS	SPLICE ARRAY MODULE TYPE	TOT TRAYS No.	TOT SPLICE No. PER TRAYS	HOLDER TYPE FOR SPLICE PROTECTION	CONNECTOR TYPE	TOT No. ADAPTER	TOT No PIGTAILS
FOCUS NPTD	M = MIXED PATCH & SPLICE	I = 19 INCHES	R = RIGHT	3	RHD	12	12	H = HEAT-SHRINKABLE (SMOUV TYPE)	DIFFERENT TYPE UP ON REQUEST	UP TO 144	UP TO 144
			L = LEFT	2		8	24	C = MECHANICAL CRIMP (ANT TYPE)		UP TO 96	UP TO 96
				1		4				UP TO 48	UP TO 96

## FOCUS NPTD P PATCH ONLY - ORDERING INFORMATION

OPTOTEC PN. EXAMPLE:

FOCUS NPTD	P	I	R	1	XX	XXX	XXX
SERIE NAME	CONFIGURATION TYPE	STANDARD TYPE	OPENING SIDE TRAY	No. UNITS	CONNECTOR TYPE	TOT No. ADAPTER	TOT No PIGTAILS
FOCUS NPTD	P = PATCH ONLY	I = 19 INCHES	R = RIGHT	3	DIFFERENT TYPE UP ON REQUEST	UP TO 144	UP TO 144
			L = LEFT	2		UP TO 96	UP TO 96
				1			



FOCUS N-PTD					
STANDARD TYPE	UNITS NUMBER	DIMENSION IN mm			TRAYS NUMBER
		WIDTH	DEPTH	HEIGHT	
19 INCHES	1U	445	280	44	1
	2U	445	280	84,5	UP TO 2
	3U	445	280	124,5	UP TO 3

## PACKAGING FEATURES

PRODUCT NAME	PACKAGING TYPE	DIMENSIONS (mm)			GROSS WEIGHT (KG.)
		WIDTH	DEPTH	HEIGHT	
FOCUS-NPTD 1 UNIT	Carton box	510	360	120	3,5
FOCUS-NPTD 2 UNITS	Carton box	510	360	155	5,8
FOCUS-NPTD 3 UNITS	Carton box	510	360	200	9,5